



# LIFE Science Maryland Integrated Science Assessment

# **Practice Test**

# cognia

© 2020 Cognia, Inc. All rights reserved.



# Contents

Periodic Table of the Elements ...... Inside Back Cover

1



Read the information. Use the information to answer the questions.

# Wild Rabbit Population Distribution

Australia is home to many unique species of plants and animals. One of the leading threats to Australia's wildlife are wild rabbits. European settlers first brought rabbits to Australia in 1788 and released them into the wild in the 1850s. Despite attempts to limit the number of wild rabbits, the population has grown and spread across the continent. The map shows the wild rabbit population distribution and the data table shows the change in the rabbit population over time.



# Wild Rabbit Population Distribution



#### LS MISA Practice Test



Year	Number of Rabbits in the Wild
1859	24
1860	60
1864	2000-3000
1920	10 Billion
2018	200 Million

# Wild Rabbit Population

A factor contributing to the success of wild rabbits in Australia is their use of long, interconnecting burrows. The burrows protect them from harsh temperatures and predators. The sandy soil and scrub typically found in Australia makes it easy for rabbits to dig their burrows. Rabbits as a species have high reproductive rates and can survive in a wide variety of habitats. Since 1950, several control methods have been put in place to control the wild rabbit population.



#### LS MISA Practice Test



# **Effect on Vegetation**

Damage to the environment is the leading problem caused by wild rabbits in Australia. They have a tiny mouth and teeth that allow them to graze plants very close to the ground. The wild rabbits feed on green grasses, herbs, young seedlings, and short, tender plants. They also dig below grasses to reach roots and seeds. After being overgrazed by wild rabbits, grasses respond by growing flat and low to the ground.

Wild rabbits prefer to feed upon young shrubs and trees within the genus Acacia. Acacias make up most of the vegetation found across much of Australia's grazing areas. Acacia seedlings take several years to grow tall enough to avoid being eaten by the wild rabbits.

Scientists studied the impact of wild rabbits on Acacia plants by documenting the growth and survival of Acacia in fenced and unfenced areas. The fence prevented animals, mostly the wild rabbits, from feeding on the Acacia. Both areas began with about the same number of Acacia seedlings. The growth index is a ratio of the width of the leaf canopy to the height of the plant. The graph shows the results of the investigation.





GOON



### **Effects of Rabbit Control Measures**

Scientists have tried to control the wild rabbit populations using various methods, including the introduction of fleas and viruses that infect wild rabbit populations. The graph shows the change in the wild rabbit population in response to the myxoma virus (MV) in 1952, rabbit fleas in 1969, and the rabbit hemorrhagic disease virus (RHDV) in 1994. The rabbit control measures also led to the environmental changes shown in the table.



**Wild Rabbit Population** 

Year



#### LS MISA Practice Test



# Changes Following Rabbit Exposure to Viruses

Native Species	Observed Change
rodents	<ul> <li>population increased by more than 300%</li> </ul>
small predators	<ul> <li>final population was 7 times higher than initial</li> <li>area of habitat doubled</li> </ul>
fruit trees	<ul> <li>final population was 6 times higher than initial</li> <li>area of habitat was 3 times larger than initial</li> <li>number of species increased</li> </ul>
native trees	<ul> <li>number of species increased</li> <li>tree <i>C. iripa</i> declined by 21%</li> </ul>

6





- **1** Which prediction describes how the vegetation would **most likely** be affected if rabbit control measures were not implemented?
  - **A** A sharp decrease in the populations of Acacia plants would lead to a steady increase in other plants.
  - **B** A steady decrease in other vegetation would be followed by a slow decrease in the populations of Acacia plants.
  - **C** A slow decrease in the populations of Acacia plants would lead to a steady increase in other vegetation.

7

**D** A sharp decrease in the populations of Acacia plants would be followed by a steady decrease in other vegetation.





**2** Foxes are a predator of rabbits and were introduced to Australia around the same time as rabbits.

Which model shows how an increase in foxes will **most likely** affect ecosystems in Australia?

8











#### LS MISA Practice Test



**3** Scientists have attempted various control methods to remove rabbit populations.



# **Wild Rabbit Population Distribution**

Which areas on the map would have the **best** chance of recovery if rabbits were removed? Select the two that apply.

- A L
- **B** M
- C ND OE P





- 4 Scientists claim that wild rabbits in Australia have significantly impacted the Acacia populations. Which additional evidence would **best** support the scientists' claim?
  - A years in which vegetation and mammals declined significantly compared to the spread of the wild rabbits
  - **B** changes to rabbit populations in different types of ecosystems
  - **C** population data of mammals that also feed on Acacia seedlings
  - **D** population data of Acacia species before and after the release of wild rabbits into the habitats
- **5** Which statement **best** explains the wild rabbit population between 1955 and 1994 as different control measures were implemented?
  - **A** The number of rabbits declined rapidly as MV and RHDV were effective in controlling the rabbit population.
  - **B** The number of rabbits declined slowly as MV and RHDV were somewhat effective in controlling the rabbit population.
  - **C** The number of rabbits declined sharply in response to MV but rose again as MV became less effective, only to decline again in response to RHDV.
  - **D** The number of rabbits declined slowly in response to MV but rose again as rabbits became resistant, only to decline sharply again in response to RHDV.
- 6 Describe the different efforts used to control rabbit populations. Evaluate whether the evidence supports a causal or correlational relationship between the control method and the observed changes that followed.

11

Write your answer in your Answer Sheet.





Read the information. Use the information to answer the questions.

# Cyanobacteria

Cyanobacteria are single-celled organisms that contain chlorophyll. Scientists think that they were the first organisms to complete photosynthesis. They can exist in a wide range of aquatic habitats, including freshwater and saltwater environments. The model shows the processes that take place in the cyanobacteria.



# **Cyanobacteria Processes**



#### LS MISA Practice Test



# **Carbon Cycling**

In aquatic ecosystems the cyanobacteria are part of the plankton. Plankton include plant-like organisms and animals that float along at the mercy of the tides and currents. The plant-like plankton, or phytoplankton, are the base of most food webs. They are the producers of most aquatic ecosystems. The animal plankton, or zooplankton, feed on them. The model shows the flow of energy from the Sun through the organisms in an aquatic ecosystem.



13

**Flow of Energy** 





Another important role of cyanobacteria in the aquatic ecosystem is carbon cycling. Scientists measured the intake of carbon by cyanobacteria over a 48-hour period. The graph shows the data collected and the periods of day and night when light was or was not present. The scientists measured the carbon intake in micromoles per hour in a microgram of chlorophyll  $(\mu mol/hr \cdot \mu g Chl).$ 



14

**Carbon Intake in Cyanobacteria** 





# **Cyanobacteria Blooms**

Cyanobacteria can also cause problems in some ecosystems. When they multiply quickly, they can form large groups called blooms. Blooms are caused when nutrients run off into the water from cities, industries, and agricultural fields. The excess nutrients provide additional resources to help in the process of creating food. Warmer water temperatures will also encourage blooms to form. Blooms cover the water's surface and block the sunlight that other organisms need. Some blooms are toxic and can harm or kill other organisms. When the bloom uses up the extra nutrients, the cyanobacteria die and decompose. The model shows a bloom.



# **Cyanobacteria Bloom**



#### LS MISA Practice Test



- **7** Which statement describes the role of the Sun in photosynthesis in the cyanobacteria?
  - A Energy from light is used to break the bonds in water and carbon dioxide.
  - **B** Light energy is transformed into heat energy, which causes carbon dioxide and water molecules to break.
  - **C** Energy in the form of light is absorbed by the breaking of chemical bonds in carbon dioxide.
  - **D** Light energy reacts with carbon dioxide and water molecules to directly form sugar.
- **8** Use the Cyanobacteria Processes model to answer the questions.

### Part A

Which phrase identifies the inputs of photosynthesis?

- **A** sugar,  $CO_2$ , and  $O_2$
- **B** light energy,  $CO_2$ , and  $O_2$
- **C** sugar,  $CO_2$ , and  $H_2O$
- **D** light energy,  $CO_2$ , and  $H_2O$

# Part B

Which phrase identifies the outputs of photosynthesis?

- **A** CO<sub>2</sub> and sugar
- **B**  $O_2$  and  $H_2O$
- **C**  $O_2$  and sugar
- **D**  $CO_2$  and  $H_2O$





- **9** Which statements identify transfers of matter and energy that occur with in the cyanobacteria? Select the two that apply.
  - A Sugars from photosynthesis are used to perform cellular respiration in order to release energy.
  - **B** Photosynthetic organisms use the product  $CO_2$  to support life functions and to build and maintain cells.
  - **C** Non-photosynthetic organisms use the additional energy left over from photosynthesis to build and maintain cells.
  - **D** Energy stored in the sugar is transferred to consumers when they eat the cyanobacteria.

17

**E** Energy created during photosynthesis in non-photosynthetic organisms is transferred to photosynthetic organisms as they are consumed.





**10** The Cyanobacteria Bloom model shows the cycling of carbon through the Earth spheres by the process of photosynthesis and cellular respiration. Use the model to answer the questions.



# **Cyanobacteria Bloom**

# Part A

Which box represents the sphere that is gaining carbon through the photosynthesis of the cyanobacteria?

- **A** Box 1
- **B** Box 2
- **C** Box 3
- **D** Box 4

### Part B

Which box represents the sphere that is directly gaining carbon when cellular respiration occurs in the cyanobacteria?

- **A** Box 1
- **B** Box 2
- **C** Box 3

**D** Box 4





- **11** Which statements describe the cyanobacteria blooms' impact on the cycling of carbon in the biosphere? Select the two that apply.
  - **A** Blooms release carbon dioxide from the biosphere.
  - **B** Cyanobacteria remove nitrogen from the water to grow.
  - **C** Blooms in warm water increase more quickly.
  - **D** Cyanobacteria are eaten by other organisms in the biosphere.
  - **E** Blooms remove oxygen from the hydrosphere and use it in the biosphere.
- 12 Scientists use models but these models have limitations. Describe the limitation of using the Carbon Intake in Cyanobacteria graph when trying to determine the amount of carbon cycling through the cyanobacteria.

Write your answer in your Answer Sheet.



#### LS MISA Practice Test

No test material on this page



	Group		L	Perioc	lic Tabl	e of the	Elem	ents										C T
~	- <b>1</b>	7	_						atomic n <b>Sy</b>	iumber mbol ++			, 13	14	15	16	17	<b>B</b> Helium 4.0026
2	3 Li 3	4 Be											ی ۳ م	စ ပ		∞ <b>O</b>	<b>б Щ</b>	10 Ne
	6.94 11	9.0122											10.81 13	12.011	14.007 15	15.999 16	18.998	180 180 180
n	Sodium N22.990	Mg Aagnesium 24.305	ю	4	5	9	7	ø	6	10	11	12	Aluminum 26.982	<b>Si</b> licon 28.085	Phosphorus 30.974	<b>S</b> ulfur 32.06	Chlorine 35.45	<b>Ar</b> Argon 39.948
4	19 Fotassium	20 Calcium	21 Sc Scandium	22 <b>Ti</b> Titanium	23 Vanadium	24 Chromium 51 006	25 Manganese	26 <b>Fe</b> Iron	27 <b>Co</b> Cobalt 68 033	28 Nickel	29 Cu Copper	30 <b>Zn</b> <sup>Zinc</sup>	31 <b>Ga</b> Gallium 60 773	32 <b>Ge</b> Germanium	33 <b>AS</b> Arsenic 74 022	34 Selenium	35 Br Bromine 79.004	36 Krypton 83.708
2J	37 37 Rubidium 85.468	38 38 Strontium 87.62	39 39 88.906	40 <b>Zi</b> rconium 91.224	41 <b>N</b> iobium 92,906	42 42 Molybdenum 95.95	<b>T</b> echnetium (98)	44 84 Ruthenium 101.07	45 Rhodium 102.91	46 Palladium 106.42	47 <b>Ag</b> Silver 107.87	<b>Cadmium</b> 112.41	49 114.82	50 50 Tin 118.71	51 51 Sb Antimony 121.76	52 <b>52</b> Tellurium 127,60	<b>53</b> <b>1</b> 26.90	54 54 Xenon 131.29
9	55 CS Cesium 132.91	56 <b>Ba</b> Barium 137.33	57-71 lanthanoids	72 Hafnium 178.49	73 Ta Tantalum 180.95	74 V Tungsten 183.84	75 <b>75</b> <b>Re</b> Rhenium 186.207	76 <b>Os</b> Osmium 190.23	77 <b>Ir</b> 192.22	78 Pt Platinum 195.08	79 <b>Au</b> Gold 196.97	80 <b>Hg</b> <sup>Mercury</sup> 200.59	81 Thallium 204.38	82 Pb Lead 207.2	83 Bismuth <sup>208.98</sup>	84 Polonium (209)	85 At Astatine (210)	86 <b>Ra</b> don (222)
~	87 Fr Francium (223)	88 <b>Ra</b> dium (226)	89-103 actinoids	104 <b>Rf</b> Rutherfordium (267)	105 <b>Db</b> Dubnium (270)	106 Sg Seabergium (269)	107 Bh <sup>Bohrium</sup> (270)	108 <b>HS</b> <sup>Hassium</sup> (270)	109 Nt Meitnerium D (278)	110 DS Jarmstadium R (281)	111 <b>Rg</b> toentgenium (281)	112 <b>Cn</b> Copernicium (285)	113 Nh Nihonium (286)	114 FI (289)	115 Mc Moscovium ( (289)	116 L∨ ⊔ivermorium (293)	117 TS Tennessine (293)	118 <b>Og</b> <sub>(294)</sub>
			57 Lanthanum 138.91 89 Actinium (227)	58 Cerium 140.12 90 232.04	59 Praseodymium 140.91 91 Pa Protactinium 231.04	60 Neodymium 144.24 92 Uranium 238.03	61 Promethium (145) 93 Neptunium (237)	62 Samarium 150.36 94 94 Pu Plutonium (244)	63 Eu Europium 151.96 95 Am Americium (243)	64 64 Gadolinium 157.25 96 96 Curium (247)	65 <b>Tb</b> Terbium 158.93 97 <b>BK</b> Berkelium (247)	66 Dysprosium 162.50 98 Cf Californium (249)	67 Holmium 164.93 99 Einsteinium (252)	68 Erbium 167.26 100 Famium (257)	69 Thulium 168.93 101 Md Aendelevium (258)	70 Ytterbium 173.05 102 Nobelium (259)	71 Lutetium 174.97 103 Lawrencium (262)	

If the atomic weight number is in parentheses, then it refers to the atomic mass of the most stable isotope. Based on the IUPAC Periodic Table of Elements 2018

# cognid

# LS MISA PRACTICE TEST

#### 1 2 3 4 5 A B C D E Printed in the USA